UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/713,296	11/16/2000	Larry Perrault	45197.2	3706
	7590 06/27/200 O C/O BENNETT JON	EXAMINER		
1000 ATCO CENTRE			A, PHI DIEU TRAN	
10035 - 105 STREET EDMONTON, ALBERTA, AB T5J3T2		Γ2	ART UNIT	PAPER NUMBER
CANADA	·		3637	
			MAIL DATE	DELIVERY MODE
			06/27/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

•		Application No.	Applicant(s)		
		09/713,296	PERRAULT ET AL.		
Office Action Summary		Examiner	Art Unit		
		Phi D. A	3637		
Donied for I	The MAILING DATE of this communication app				
Period for	• •				
WHICH - Extension after SIX - If NO pe - Failure to Any repl	RTENED STATUTORY PERIOD FOR REPLY EVER IS LONGER, FROM THE MAILING DA ons of time may be available under the provisions of 37 CFR 1.13 (6) MONTHS from the mailing date of this communication. Friod for reply is specified above, the maximum statutory period we or reply within the set or extended period for reply will, by statute, y received by the Office later than three months after the mailing patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION B6(a). In no event, however, may a reply be ting Till apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	N. mely filed the mailing date of this communication. ED (35 U.S.C. § 133).		
Status					
1)⊠ R	esponsive to communication(s) filed on 22 Ma	arch 2007.			
2a)∐ TI	nis action is FINAL . 2b)⊠ This	action is non-final.			
3) <u></u> Si	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is				
cl	osed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11, 4	53 O.G. 213.		
Disposition	of Claims				
4a 5)⊠ C 6)⊠ C 7)□ C	laim(s) <u>1-21</u> is/are pending in the application.) Of the above claim(s) is/are withdraw laim(s) <u>18 and 19</u> is/are allowed. laim(s) <u>1-17,20 and 21</u> is/are rejected. laim(s) is/are objected to. laim(s) are subject to restriction and/or				
Application	Papers				
9) <u></u> Th	e specification is objected to by the Examiner	•.			
10) <u></u> Th	e drawing(s) filed on is/are: a) acce	epted or b) objected to by the	Examiner.		
Ar	oplicant may not request that any objection to the o	drawing(s) be held in abeyance. Se	e 37 CFR 1.85(a).		
	eplacement drawing sheet(s) including the correcti		• , ,		
	e oath or declaration is objected to by the Exa	aminer. Note the attached Office	Action or form PTO-152.		
Priority und	ler 35 U.S.C. § 119				
a)□ 1. 2. 3.	knowledgment is made of a claim for foreign All b) Some * c) None of: Certified copies of the priority documents Certified copies of the priority documents Copies of the certified copies of the priori application from the International Bureau	s have been received. s have been received in Applicati ity documents have been receive (PCT Rule 17.2(a)).	ion No ed in this National Stage		
* See	the attached detailed Office action for a list of	of the certified copies not receive	d.		
Attachment(s)		_			
	f References Cited (PTO-892) f Draftsperson's Patent Drawing Review (PTO-948)	4)			
3) 🔲 Informat	ion Disclosure Statement(s) (PTO/SB/08) o(s)/Mail Date	5) Notice of Informal P 6) Other:			

Application/Control Number: 09/713,296 Page 2

Art Unit: 3637

Claim Rejections - 35 USC § 102

- 1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action: A person shall be entitled to a patent unless (e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.
- 1. Claims 17, 20-21 are rejected under 35 U.S.C. 102(e) as being anticipated by Kost (6047503).

Kost (figure 12) shows an improved roof truss comprising a bottom chord (6), a bottom plate (2A) disposed underneath and substantially parallel to the bottom chord, means (7) for attaching the bottom plate to the bottom chord, spacers (figure 6, the part located between parts 6 and 1A and connecting the two sides of the H-shaped), disposed between the bottom plate and the bottom chord which create a thermal gap between the bottom plate and the bottom chord, a strap (figure 12) located at the intersection of the bottom plate and an interior partition wall, the strap passing between bottom plate (2A) and the bottom chord (6), the strap is adapted to be fastened to the interior partition wall wherein fasteners can be driven through the planar member on either side of the bottom plate so as to attach the bottom plate to the interior partition wall, the strap being metal.

Application/Control Number: 09/713,296 Page 3

Art Unit: 3637

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action: (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

2. Claims 1-5, 7-11, 13-16 are rejected under 35 U.S.C. 103(a) as being unpatentable over Laughlin (1444798) in view of Kost (6047503).

Laughlin (figure 1) shows an improved roof truss comprising a bottom chord (10'), a top chord (26) and at least two intermediate members creating a triangular shape with one of the top or bottom chord, a bottom plate (10) disposed beneath and substantially parallel to the bottom chord.

Laughlin does not shows means for attaching the bottom plate to the bottom chord which allows separation of the bottom plate from the bottom chord when the bottom plate is attached to an interior partition wall and the roof truss rises relative to the interior partition wall, the means being a plurality of connectors, the connectors being removable and frangible, the connectors are gang plates, the connectors comprise a plurality of wood fasteners and hangers having a plurality of holes, the wood fasteners being driven through the holes in the hangers into the bottom plate, the bottom chord or both, the hangers being frangible, the hangers having a perforation disposed in such a way that if the hanger is severed at the perforation the hanger and fasteners will no

Application/Control Number: 09/713,296

Art Unit: 3637

longer act to attach the bottom plate to the bottom chord, the hangers being H-shaped, the hangers being U-shaped, the hangers being metallic wrap-around hangers.

Kost shows means(7, figure 6) for attaching the bottom plate to the bottom chord, the means being connectors (7), the connectors being removable (only fastened by fasteners 25A, 25C) and frangible(inherently so as the connectors having holes along the sides), the connectors being gang plates, the connectors comprise a plurality of wood fasteners (25A, 25C, inherently wood fasteners as they connect wood parts together) and hangers having a plurality of holes, the wood fasteners being driven through the holes in the hangers into the bottom plate, the bottom chord or both, the hangers being frangible, the hangers having a perforation(7A) disposed in such a way that if the hanger is severed at the perforation the hanger and fasteners will no longer act to attach the bottom plate to the bottom chord, the hangers being H-shaped (7), the hangers being U-shaped (8), the hangers being metallic wrap-around hangers.

It would have been obvious to one having ordinary skill in the art at the time of the invention to modify Laughlin's structure to show means for attaching the bottom plate to the bottom chord, the means being connectors (7), the connectors being removable and frangible, the connectors being gang plates, the connectors comprise a plurality of wood fasteners and hangers having a plurality of holes, the wood fasteners being driven through the holes in the hangers into the bottom plate, the bottom chord or both, the hangers being frangible, the hangers having a perforation disposed in such a way that if the hanger is severed at the perforation the hanger and fasteners will no longer act to attach the bottom plate to the bottom chord, the hangers being H-shaped, the hangers being U-shaped, the hangers being metallic wrap-around hangers as taught

Application/Control Number: 09/713,296

Art Unit: 3637

by Kost because it enables the secured connection of the bottom plate to the bottom chord which results in a stable and strong roof structure.

Laughlin as modified inherently shows the roof structure allows for the separation of the bottom plate from the bottom chord when the bottom plate is attached to an interior partition wall and the roof truss rises relative to the interior partition wall, the connectors being slidably attached to the bottom plate and roof truss (inherently so as the connector is slid between the structures before fastening).

3. Claims 1-2, 6 are rejected under 35 U.S.C. 103(a) as being unpatentable over Laughlin (1444798) in view of Thompson (6094880).

Laughlin (figure 1) shows an improved roof truss comprising a bottom chord (10'), a top chord (26) and at least two intermediate members creating a triangular shape with one of the top or bottom chords, a bottom plate (10) disposed beneath and substantially parallel to the bottom chord.

Laughlin does not shows means for attaching the bottom plate to the bottom chord which allows separation of the bottom plate from the bottom chord when the bottom plate is attached to an interior partition wall and the roof truss rises relative to the interior partition wall, the means being a plurality of connectors, the connectors are fasteners driven through the bottom plate into the bottom of the bottom chord.

Thompson shows means (col 7 lines 14-17) for attaching the bottom plate to the bottom chord, the means being a plurality of connectors, the connectors are fasteners (nails) driven through the bottom plate into the bottom of the bottom chord.

It would have been obvious to one having ordinary skill in the art at the time of the invention to modify Laughlin's structure to show means for attaching the bottom plate to the bottom chord, the means being connectors (7), the connectors are fasteners driven through the bottom plate into the bottom of the bottom chord as taught by Thompson because it enables the secured connection of the bottom plate to the bottom chord which results in a stable and strong roof structure.

Laughlin as modified inherently shows the roof structure allows for the separation of the bottom plate from the bottom chord when the bottom plate is attached to an interior partition wall and the roof truss rises relative to the interior partition wall.

4. Claim 12 is rejected under 35 U.S.C. 103(a) as being unpatentable over Laughlin' (1444798) in view of Kost (6047503) as applied to claim 11 above and further in view of Boozer (5743063).

Laughlin as modified shows all the claimed limitations except for the holes being vertically slotted holes.

Boozer discloses slotted holes (figure 8C) for connecting a hanger (89) to other structural members.

It would have been obvious to one having ordinary skill in the art at the time of the invention to modify Laughlin's modified structure to show the holes being vertically slotted holes as taught by Boozer because it would have been an obvious matter of engineering design choice to have the holes being vertically slotted holes since applicant has not disclosed that the vertical slotted holes solve any stated problem or is for any particular purpose and it appears that the invention would perform equally well with just holes.

Art Unit: 3637

5. Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Laughlin (1444798) in view of Kost (6047503).

Laughlin (figure 1) shows an improved roof truss comprising a bottom chord (26), a bottom plate (10) disposed underneath and substantially parallel to the bottom chord, spacers (10') disposed between the bottom plate and the bottom chord which create a thermal gap between the bottom plate and the bottom chord.

Laughlin does not show means for attaching the bottom plate to the bottom chord.

Kost shows means (7) for attaching the bottom plate to the bottom chord.

It would have been obvious to one having ordinary skill in the art at the time of the invention to modify Laughlin's structure to show means for attaching the bottom plate to the bottom chord as taught by Kost because it enables the secured connection of the bottom plate to the bottom chord which results in a stable and strong roof structure.

Allowable Subject Matter

Claims 18-19 are allowed.

Response to Arguments

2. Applicant's arguments filed 12/7/06 have been fully considered but they are not persuasive.

As applicant has not presented any arguments to the rejections above. The rejection is hereby repeated above.

Art Unit: 3637

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Phi D A whose telephone number is 571-272-6864. The examiner can normally be reached on Monday-Thursday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lanna Mai can be reached on 571-272-6867. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Phi Dieu Tran A

5/29/07